

## Web

Results 1 - 3 of 3 for **"active router" "candidate router" list**. (0.29 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [CoreBuilder 2500 Extended Switching User Guide, Extended ...](#)

File Format: PDF/Adobe Acrobat

... Conventions Table 1 and Table 2 list conventions that are used throughout this guide.

If you are looking for Turn to An overview of Extended Switching features ...

[www.mtmnet.com/PDF\\_FILES/LP2500\\_ExtendedSwitchingGuide.pdf](http://www.mtmnet.com/PDF_FILES/LP2500_ExtendedSwitchingGuide.pdf) - Supplemental Result - [Similar pages](#)

[PDF] [TigerChassis 10/100/1000](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Active" SMC product. A product is considered to be "Active" while it is listed on the current SMC price list. As new technologies ...


[213.155.72.40/english/support/driver\\_manual/switch/download/9712G/9712g\\_scg\\_0220.pdf](http://213.155.72.40/english/support/driver_manual/switch/download/9712G/9712g_scg_0220.pdf) - Supplemental Result - [Similar pages](#)

[PDF] [FML-1200](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... information about Turn to The purpose of this book About This Guide Sending feedback on this book Description of software features Chapter 1: List of default ...

[www.planex.net/support/pdf/fml-1200.pdf](http://www.planex.net/support/pdf/fml-1200.pdf) - Supplemental Result - [Similar pages](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



## Web

Results 1 - 10 of about 31 for "**candidate router**" **select router list active**. (0.23 seconds)

[PS] [PP-MESS-SIM: A Simulator for Evaluating Multicomputer ...](#)

File Format: Adobe PostScript - [View as Text](#)

When the algorithm must **select** from multiple output links at a node, ... As part of Net creation, pp-mess-sim generates each of the 64 **router** Nodes. ...

[www.cs.princeton.edu/~jrex/papers/ppsim\\_paper.ps](http://www.cs.princeton.edu/~jrex/papers/ppsim_paper.ps) - [Similar pages](#)

[PS] [PP-MESS-SIM: A Flexible and Extensible Simulator for Evaluating ...](#)

File Format: Adobe PostScript - [View as Text](#)

Within the **router** models, pp-mess-sim represents internal components as separate ... 7.3 Packet History List Similarly, pp-mess-sim provides effective data ...

[www.cs.princeton.edu/~jrex/papers/ppsim\\_journal.ps](http://www.cs.princeton.edu/~jrex/papers/ppsim_journal.ps) - [Similar pages](#)

[ [More results from www.cs.princeton.edu](#) ]

[PS] [QoSMIC: Quality of Service sensitive Multicast Internet protoCol ...](#)

File Format: Adobe PostScript - [View as Text](#)

becomes a **Candidate router**, and replies with a BID message, ... Thus, by default, we **select** the Designated Border **router** of the group to be the Manager in a ...

[www.cs.ucsb.edu/~almeroth/classes/S99.290I/QOSMIC-SIG.ps.gz](http://www.cs.ucsb.edu/~almeroth/classes/S99.290I/QOSMIC-SIG.ps.gz) - [Similar pages](#)

[PS] [INTERNET-DRAFT Anindo Banerjee \(U. of Toronto\) Inter-Domain ...](#)

File Format: Adobe PostScript - [View as Text](#)

**Candidate router** Considered as possible joining point for a new connection. ...

Destination **router** Designated **router** of a LAN that has **active** group members. ...

[www.cs.ucr.edu/~michalis/PAPERS/draft00-qosmic.ps](http://www.cs.ucr.edu/~michalis/PAPERS/draft00-qosmic.ps) - [Similar pages](#)

[PS] [QoS-Aware Multicast Routing for the Internet: The Design and ...](#)

File Format: Adobe PostScript - [View as Text](#)

In the **Select** phase, the joining **router** selects the most promising path ...

**Candidate router** Considered as possible joining point for a new join request. ...

[www.cs.ucr.edu/~michalis/PAPERS/camera-jqosmic.ps](http://www.cs.ucr.edu/~michalis/PAPERS/camera-jqosmic.ps) - [Similar pages](#)

[PDF] [QoS-aware multicast routing for the internet: the design and ...](#)

File Format: PDF/Adobe Acrobat

In the **Select** phase, the joining **router** selects. the most promising path according to ... ready has **active** group members, the search for **Candidate router** ...

[portal.acm.org/ft\\_gateway.cfm?id=506830&type=pdf](http://portal.acm.org/ft_gateway.cfm?id=506830&type=pdf) - [Similar pages](#)

[PDF] [Deliverable D9.3 IPv6 Testing](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A complete **router** product list is maintained at the IPv6 Forum [IPV6FORUM] web site.

2.1.4 UNINETT (Norway) ... This may be a **candidate router** for ...

[www.geant.net/upload/pdf/GEA-01-114.pdf](http://www.geant.net/upload/pdf/GEA-01-114.pdf) - Aug 31, 2005 - [Similar pages](#)

[PDF] [PP-MESS-SIM: A Flexible and Extensible Simulator for Evaluating ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**router** model maintains a history list that records significant ... could then compare **candidate router** architectures under ...

[www.thefengs.com/wuchang/work/papers/ppsim\\_tpbs.pdf](http://www.thefengs.com/wuchang/work/papers/ppsim_tpbs.pdf) - [Similar pages](#)

[PDF] [Internet traffic engineering techniques](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

list with costs equal to the cost of the links between this **router** and the **candidate router**. The **candidate router** with the smallest cost is added to ...

[www.info.ucl.ac.be/people/OBO/pres/icnp2002-notes.pdf](http://www.info.ucl.ac.be/people/OBO/pres/icnp2002-notes.pdf) - [Similar pages](#)

[PDF] [SOH tiet vk 03.indd](#)


File Format: PDF/Adobe Acrobat

ty and **select** and maybe tailor relevant ones for the proj- ... **Candidate router** list. • Establish new connection. • Authentication. • Access method ...

[www.vtt.fi/ele/tuloksia/pdf\\_files/vtt\\_soh\\_tiet\\_vk\\_03.pdf](http://www.vtt.fi/ele/tuloksia/pdf_files/vtt_soh_tiet_vk_03.pdf) - [Similar pages](#)

Google

Result Page:    1   2   3    [Next](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



## Web

Results 11 - 20 of about 31 for "candidate router" select router list active. (0.31 seconds)

### Pantek - Expert Linux and Open Source Services:

... compromise of security on a **router** that affects ... recommended for Seamoby: - Investigation into **candidate router**-related services ... other than what you **select** above ...

www.penguinprovider.com/ library/general/rfc/rfc3374.html - 40k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [PDF] QoS Multicast Using Single Metric Unicast Routing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the ordered **list**. If this **candidate router** has also failed, ... **active** decision and **select** the node that acts as the parent in a broadcast LAN. ...

www.cl.cam.ac.uk/users/jac22/otalks/thesis\_kc.pdf - [Similar pages](#)

### [PDF] Michalis Faloutsos Anindo Banerjee Rajesh Pankaj U. of Toronto U. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **Candidate router** considers the New **router** as a tentative ... ceasing to be an intree **router** for that tree. ... Tree Search, the Manager must **select** an appropriate ...

www.sigcomm.org/sigcomm98/tp/paper12.pdf - Supplemental Result - [Similar pages](#)

### [PDF] Diploma Thesis

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Among all **router** candidates, hosts with only one connection **select** ... In principle, each Class One host in the system is a **candidate router** and may be ...

elib.uni-stuttgart.de/opus/ volltexte/2000/716/pdf/DIP-1773.pdf - [Similar pages](#)

### Platform Notes: SPARCstation Voyager Software Guide

... **select** Reset and the currently **active** settings (that is, ... You can determine a **candidate router** by inspecting the route table with the netstat command ...

docs.sun.com/source/802-7305/802-7305.book - 161k - [Cached](#) - [Similar pages](#)

### [PDF] TigerChassis 10/100/1000

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 71 Interpreting NMM Trap Messages 71 CLI Command List 72 ... for each supernet 195 Step 2 - **Select** a range ... Supernet Example 197 **Router** Interfaces 198 Routing Table ...

213.155.72.40/english/support/driver\_manual/ switch/download/9712G/9712g\_scg\_0220.pdf - Supplemental Result - [Similar pages](#)

### [PDF] CoreBuilder 2500 Extended Switching User Guide, Extended ...

File Format: PDF/Adobe Acrobat

... Examples: From the Help menu, **select** Contents. ... Instructions about how to unpack your CoreBuilder 2500 system; also an inventory list of the items that are ...

www.mtmnet.com/PDF\_FILES/ LP2500\_ExtendedSwitchingGuide.pdf - Supplemental Result - [Similar pages](#)

### [PDF] Efficient wireless networking with advanced services and ...

File Format: PDF/Adobe Acrobat

... Page 9. 7 List of symbols 3GPP Third Generation Partnership Project (ETSI) ... BER Bit Error Ration BLUE Name of **active** queue management algorithm BTS base station ...

www.vtt.fi/inf/pdf/tiedotteet/2004/T2248.pdf - Supplemental Result - [Similar pages](#)

### diff -Nur --exclude=RCS --exclude=CVS --exclude=SCCS --exclude ...

You must **select** this, if you want + to use CONFIG\_IPV6\_MOBILITY. ... + +/\*

Threshold for exponential resending of **router** solicitations \*/ + #define ...  
www.ahzf.de/itstuff/mip6-1.0-v2.4.24.patch - 513k - [Cached](#) - [Similar pages](#)

[diff -ruN linux-2.4.20-wolk4.0-fullkernel/Documentation/Configure ...](#)  
You must **select** this, if you want + to use CONFIG\_IPV6\_MOBILITY. ... + + If your  
computer is not a **router**, or you are unsure if you need + this, ...  
ftp.csie.chu.edu.tw/Linux/Gentoo/ distfiles/1009\_mip6-0.9.5.1-v2.4.20-wolk4.0s.patch - 513k -  
[Cached](#) - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



## Web

Results **21 - 24** of about **31** for **"candidate router" select router list active**. (0.05 seconds)

### [PDF] Quality of Service Overview

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... backbone routers in the network, then **select** the appropriate ... does not explicitly signal the **router** before sending ... traffic based on extended access list criteria ...

[www.stewart.tc/Pres/QoS\\_Book/Cisco\\_QOS.pdf](http://www.stewart.tc/Pres/QoS_Book/Cisco_QOS.pdf) - Supplemental Result - [Similar pages](#)

### [PDF] FML-1200

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... information about Turn to The purpose of this book About This Guide Sending feedback on this book Description of software features Chapter 1: List of default ...

[www.planex.net/support/pdf/fml-1200.pdf](http://www.planex.net/support/pdf/fml-1200.pdf) - Supplemental Result - [Similar pages](#)

### [PDF] Policy aware qos inter-domain multicast routing - High Performance ...

File Format: PDF/Adobe Acrobat

becomes a **candidate router** and replies with a BID message, ... message arrives at this node, the node will **select** the best. branch and reject all the others ...

[ieeexplore.ieee.org/iel5/8691/27532/01226718.pdf?arnumber=1226718](http://ieeexplore.ieee.org/iel5/8691/27532/01226718.pdf?arnumber=1226718) - [Similar pages](#)

### PP-MESS-SIM: A Flexible and Extensible Simulator for Evaluating ...


**Router** hardware connects each processing node to the interconnection fabric and

... When the algorithm must **select** from multiple output links at a node, ...

[doi.ieeeecs.org/10.1109/71.569653](http://doi.ieeeecs.org/10.1109/71.569653) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 24 already displayed.*

*If you like, you can repeat the search with the omitted results included.*



Result Page: [Previous](#) [1](#) [2](#) [3](#)

"candidate router" select router list a

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **candidate router active**

Found 3 of 160,906

Sort results by

Display results

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ Open results in a new window

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [QoSMIC: quality of service sensitive multicast Internet protocol](#)

Michalis Faloutsos, Anindo Banerjea, Rajesh Pankaj

 October 1998 **ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM '98 conference on Applications, technologies, architectures, and protocols for computer communication**, Volume 28 Issue 4

Full text available: pdf(1.39 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we present, QoSMIC, a multicast protocol for the Internet that supports QoS-sensitive routing, and minimizes the importance of *a priori configuration* decisions (such as *core* selection). The protocol is resource-efficient, robust, flexible, and scalable. In addition, our protocol is provably loop-free. Our protocol starts with a resources-saving tree (Shared Tree) and individual receivers switch to a QoS-competitive tree (Source-Based Tree) when necessary. In both tree ...

### 2 [QoS-aware multicast routing for the internet: the design and evaluation of QoSMIC](#)

Shuqian Yan, Michalis Faloutsos, Anindo Banerjea

 February 2002 **IEEE/ACM Transactions on Networking (TON)**, Volume 10 Issue 1

Full text available: pdf(208.12 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

One of the main problems of the current Internet infrastructure is its inability to provide services at consistent quality-of-service (QoS) levels. At the same time, many emerging Internet applications, such as teleeducation, and teleconferencing, require multicast protocols that will provide the necessary QoS. In this paper, we propose QoSMIC, a multicast routing protocol for the Internet, that provides QoS-sensitive paths in a scalable, resource-efficient, and flexible way. QoSMIC differs from ...

**Keywords:** Multicast routing, protocol evaluation, quality of service

### 3 [Controlled flexibility in system design](#)

A. Brady Montz, Larry Peterson

 September 1998 **Proceedings of the 8th ACM SIGOPS European workshop on Support for composing distributed applications**

Full text available: pdf(690.95 KB)

 Additional Information: [full citation](#), [index terms](#)

Results 1 - 3 of 3


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **active router candidate**

Found 8 of 160,906

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 8 of 8

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Developments in simulation and instrumentation: Topology discovery for public IPv6 networks](#)



Daniel G. Waddington, Fangzhe Chang, Ramesh Viswanathan, Bin Yao

 July 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 3

 Full text available: pdf(182.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In just three decades the Internet has grown from a small experimental research network into a complex network of routers, switches, and hosts. Understanding the topology of such large scale networks is essential to the procurement of good architectural design decisions, particularly with respect to address allocation and distribution schemes. A number of techniques for IPv4 network topology already exist. Of these ICMP-based probing has shown to be most useful in determining router-level topolog ...

**Keywords:** IPv6, IPv6 network topology discovery, network measurement, network probing, topology inference

### 2 [Balancing performance and flexibility with hardware support for network architectures](#)



Ilija Hadžić, Jonathan M. Smith

 November 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 4

 Full text available: pdf(719.03 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The goals of performance and flexibility are often at odds in the design of network systems. The tension is common enough to justify an architectural solution, rather than a set of context-specific solutions. The Programmable Protocol Processing Pipeline (P4) design uses programmable hardware to selectively accelerate protocol processing functions. A set of field-programmable gate arrays (FPGAs) and an associated library of network processing modules implemented in hardware are augmented with so ...

**Keywords:** FPGA, P4, computer networking, flexibility, hardware, performance, programmable logic devices, programmable networks, protocol processing

### 3 [Scaling video conferencing through spatial tiling](#)




Ladan Gharai, Colin Perkins, Allison Mankin

 January 2001 **Proceedings of the 11th international workshop on Network and operating systems support for digital audio and video**

Full text available:

Additional Information:



 [pdf\(195.71 KB\)](#)
[full citation](#), [abstract](#), [references](#), [index terms](#)

We describe an approach to scaling video conferencing, with the use of active agents. Such agents tile video frames into one, by modification of their respective meta-data and adjustment of their video frame rate if necessary. The spatial tiling agents are located within a network, and participants in the session unicast video to the "closest" agent. The agent then multicast the tiled video to the group of all participants. Results show that spatial tiling incr ...

#### 4 AMTree: an active approach to multicasting in mobile networks

Kwan-Wu Chin, Mohan Kumar

August 2001 **Mobile Networks and Applications**, Volume 6 Issue 4

Full text available:  [pdf\(250.85 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Active networks (ANs) are a new paradigm in computer networking. In ANs, programs can be injected into routers and switches to extend the functionalities of the network. This allows programmers to enhance existing protocols and enables the rapid deployment of new protocols. Little work has been done in the area of multicast routing in heterogeneous environments. In this paper, we propose AMTree, an AN-based multicast tree that is bidirectional, optimizable on demand and adaptive to source mi ...

**Keywords:** active networks, mobile/wireless networks, multicast

#### 5 Towards efficient resource on-demand in Grid Computing

Kun Yang, Xin Guo, Alex Galis, Bo Yang, Dayou Liu

April 2003 **ACM SIGOPS Operating Systems Review**, Volume 37 Issue 2

Full text available:  [pdf\(577.16 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)


The essence of Grid Computing is to provide efficient Resource on Demand (RoD). This paper addresses this challenge from the perspective of network, the living platform of Grid, by providing effective Quality of Service (QoS) mechanisms (both IntServ and DiffServ) inside the Grid networking environment. Specifically, the efficiency of this QoS mechanism is maximized by policy-based management taking care of the flexible control of QoS parameters/components and active networks technology looking ...

**Keywords:** Active Networks (AN), Grid Computing, Policy-based Management (PBM), Quality of Service (QoS), Resource on Demand (ROD), efficiency

#### 6 Achieving bounded fairness for multicast and TCP traffic in the Internet

Huayan Amy Wang, Mischa Schwartz

October 1998 **ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM '98 conference on Applications, technologies, architectures, and protocols for computer communication**, Volume 28 Issue 4

Full text available:  [pdf\(1.85 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

There is an urgent need for effective multicast congestion control algorithms which enable reasonably fair share of network resources between multicast and unicast TCP traffic under the current Internet infrastructure. In this paper, we propose a quantitative definition of a type of bounded fairness between multicast and unicast best-effort traffic, termed "essentially fair". We also propose a window-based Random Listening Algorithm (RLA) for multicast congestion control. The algorithm is proven ...

**Keywords:** Internet, RED and drop-tail gateways, flow and congestion control, multicast, phase effect

**7 Adaptive nonlinear congestion controller for a differentiated-services framework**

Andreas Pitsillides, Petros Ioannou, Marios Lestas, Loukas Rossides

February 2005 **IEEE/ACM Transactions on Networking (TON)**, Volume 13 Issue 1Full text available:  [pdf\(786.84 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The growing demand of computer usage requires efficient ways of managing network traffic in order to avoid or at least limit the level of congestion in cases where increases in bandwidth are not desirable or possible. In this paper we developed and analyzed a generic Integrated Dynamic Congestion Control (IDCC) scheme for controlling traffic using information on the status of each queue in the network. The IDCC scheme is designed using nonlinear control theory based on a nonlinear model of the n ...

**Keywords:** ATM, congestion control, differentiated-services framework, internet, nonlinear adaptive control theory

**8 Light-weight multicast services (LMS): a router-assisted scheme for reliable multicast**

Christos Papadopoulos, Guru Parulkar, George Varghese

June 2004 **IEEE/ACM Transactions on Networking (TON)**, Volume 12 Issue 3Full text available:  [pdf\(573.29 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Building on the success of unicast IP, IP Multicast adopted a simple, open, best-effort delivery model with many-to-many semantics. Despite several years of effort, a general, scalable and reliable end-to-end transport protocol analogous to TCP has proven elusive. Proposed solutions are either inflexible, or incur high control overhead. We present Lightweight Multicast Services (LMS), which enhance the IP Multicast model with simple forwarding services to facilitate scalable and efficient (compar ...

**Keywords:** error control, multicast, reliable multicast

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [active router](#) [list](#) [candidate](#)

Found 6 of 160,906

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 6 of 6

 Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 [Developments in simulation and instrumentation: Topology discovery for public IPv6 networks](#)

Daniel G. Waddington, Fangzhe Chang, Ramesh Viswanathan, Bin Yao

 July 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 3

 Full text available: pdf(182.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In just three decades the Internet has grown from a small experimental research network into a complex network of routers, switches, and hosts. Understanding the topology of such large scale networks is essential to the procurement of good architectural design decisions, particularly with respect to address allocation and distribution schemes. A number of techniques for IPv4 network topology already exist. Of these ICMP-based probing has shown to be most useful in determining router-level topolog ...

**Keywords:** IPv6, IPv6 network topology discovery, network measurement, network probing, topology inference

# 2 [Achieving bounded fairness for multicast and TCP traffic in the Internet](#)

Huayan Amy Wang, Mischa Schwartz

 October 1998 **ACM SIGCOMM Computer Communication Review , Proceedings of the ACM SIGCOMM '98 conference on Applications, technologies, architectures, and protocols for computer communication**, Volume 28 Issue 4

 Full text available: pdf(1.85 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#), [index terms](#)

There is an urgent need for effective multicast congestion control algorithms which enable reasonably fair share of network resources between multicast and unicast TCP traffic under the current Internet infrastructure. In this paper, we propose a quantitative definition of a type of bounded fairness between multicast and unicast best-effort traffic, termed "essentially fair". We also propose a window-based Random Listening Algorithm (RLA) for multicast congestion control. The algorithm is proven ...

**Keywords:** Internet, RED and drop-tail gateways, flow and congestion control, multicast, phase effect

# 3 [Balancing performance and flexibility with hardware support for network architectures](#)

Ilija Hadžić, Jonathan M. Smith

 November 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 4

Full text available:  pdf(719.03 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The goals of performance and flexibility are often at odds in the design of network systems. The tension is common enough to justify an architectural solution, rather than a set of context-specific solutions. The Programmable Protocol Processing Pipeline (P4) design uses programmable hardware to selectively accelerate protocol processing functions. A set of field-programmable gate arrays (FPGAs) and an associated library of network processing modules implemented in hardware are augmented with so ...

**Keywords:** FPGA, P4, computer networking, flexibility, hardware, performance, programmable logic devices, programmable networks, protocol processing

#### 4 AMTree: an active approach to multicasting in mobile networks

Kwan-Wu Chin, Mohan Kumar

August 2001 **Mobile Networks and Applications**, Volume 6 Issue 4

Full text available:  pdf(250.85 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Active networks (ANs) are a new paradigm in computer networking. In ANs, programs can be injected into routers and switches to extend the functionalities of the network. This allows programmers to enhance existing protocols and enables the rapid deployment of new protocols. Little work has been done in the area of multicast routing in heterogeneous environments. In this paper, we propose AMTree, an AN-based multicast tree that is bidirectional, optimizable on demand and adaptive to source mi ...

**Keywords:** active networks, mobile/wireless networks, multicast

#### 5 Scaling video conferencing through spatial tiling

Ladan Gharai, Colin Perkins, Allison Mankin

January 2001 **Proceedings of the 11th international workshop on Network and operating systems support for digital audio and video**

Full text available:  pdf(195.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe an approach to scaling video conferencing, with the use of active agents. Such agents tile video frames into one, by modification of their respective meta-data and adjustment of their video frame rate if necessary. The spatial tiling agents are located within a network, and participants in the session unicast video to the "closest" agent. The agent then multicast the tiled video to the group of all participants. Results show that spatial tiling incr ...

#### 6 Light-weight multicast services (LMS): a router-assisted scheme for reliable multicast

Christos Papadopoulos, Guru Parulkar, George Varghese

June 2004 **IEEE/ACM Transactions on Networking (TON)**, Volume 12 Issue 3

Full text available:  pdf(573.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Building on the success of unicast IP, IP Multicast adopted a simple, open, best-effort delivery model with many-to-many semantics. Despite several years of effort, a general, scalable and reliable end-to-end transport protocol analogous to TCP has proven elusive. Proposed solutions are either inflexible, or incur high control overhead. We present Lightweight Multicast Services (LMS), which enhance the IP Multicast model with simple forwarding services to facilitate scalable and efficient (compar ...

**Keywords:** error control, multicast, reliable multicast


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( router&lt;in&gt;metadata ) &lt;and&gt; ( active&lt;in&gt;metadata ) &lt;and&gt; ( select&lt;in&gt;..."



Your search matched 21 of 1229994 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

( router&lt;in&gt;metadata ) &lt;and&gt; ( active&lt;in&gt;metadata ) &lt;and&gt; ( select&lt;in&gt;metadata )

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## Select Article Information

- ☐ 1. **All-fiber active add-drop wavelength router**  
 Nykolak, G.; de Barros, M.R.X.; Nielsen, T.N.; Eskildsen, L.;  
 Photonics Technology Letters, IEEE  
 Volume 9, Issue 5, May 1997 Page(s):605 - 606  
 Digital Object Identifier 10.1109/68.588142  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(172 KB\)](#) IEEE JNL
- ☐ 2. **Active anycast method for server load balancing**  
 Hashim, H.; Manan, A.;  
 Research and Development, 2002. SCORed 2002. Student Conference on  
 16-17 July 2002 Page(s):105 - 108  
 Digital Object Identifier 10.1109/SCORED.2002.1033068  
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
- ☐ 3. **Congestion control policies for IP-based CDMA radio access networks**  
 Kasera, S.K.; Ramjee, R.; Thuel, S.R.; Xin Wang;  
 Mobile Computing, IEEE Transactions on  
 Volume 4, Issue 4, July-Aug. 2005 Page(s):349 - 362  
 Digital Object Identifier 10.1109/TMC.2005.51  
[AbstractPlus](#) | Full Text: [PDF\(1064 KB\)](#) IEEE JNL
- ☐ 4. **Buffer management schemes for supporting TCP in gigabit routers with queueing**  
 Suter, B.; Lakshman, T.V.; Stiliadis, D.; Choudhury, A.K.;  
 Selected Areas in Communications, IEEE Journal on  
 Volume 17, Issue 6, June 1999 Page(s):1159 - 1169  
 Digital Object Identifier 10.1109/49.772451  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(176 KB\)](#) IEEE JNL
- ☐ 5. **Control-on-demand: an efficient approach to router programmability**  
 Hjalmtysson, G.; Bhattacharjee, S.;  
 Selected Areas in Communications, IEEE Journal on  
 Volume 17, Issue 9, Sept. 1999 Page(s):1549 - 1562  
 Digital Object Identifier 10.1109/49.790481  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(180 KB\)](#) IEEE JNL
- ☐ 6. **Implementing scheduling algorithms in high-speed networks**

Stephens, D.C.; Bennett, J.C.R.; Hui Zhang;  
Selected Areas in Communications, IEEE Journal on  
Volume 17, Issue 6, June 1999 Page(s):1145 - 1158  
Digital Object Identifier 10.1109/49.772449

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(276 KB) IEEE JNL

- ☐ **7. Fast silicon-on-silicon optoelectronic router based on a BMFET device**  
Irace, A.; Coppola, G.; Breglio, G.; Cutolo, A.;  
Selected Topics in Quantum Electronics, IEEE Journal of  
Volume 6, Issue 1, Jan.-Feb. 2000 Page(s):14 - 18  
Digital Object Identifier 10.1109/2944.826867  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(128 KB) IEEE JNL
- ☐ **8. Design issues for high-performance active routers**  
Wolf, T.; Turner, J.S.;  
Selected Areas in Communications, IEEE Journal on  
Volume 19, Issue 3, March 2001 Page(s):404 - 409  
Digital Object Identifier 10.1109/49.917702  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(204 KB) IEEE JNL
- ☐ **9. An OS interface for active routers**  
Peterson, L.; Gottlieb, Y.; Hibler, M.; Tullmann, P.; Lepreau, J.; Schwab, S.; Da  
Purtell, A.; Hartman, J.;  
Selected Areas in Communications, IEEE Journal on  
Volume 19, Issue 3, March 2001 Page(s):473 - 487  
Digital Object Identifier 10.1109/49.917708  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(188 KB) IEEE JNL
- ☐ **10. The NetScript active network system**  
da Silva, S.; Yemini, Y.; Florissi, D.;  
Selected Areas in Communications, IEEE Journal on  
Volume 19, Issue 3, March 2001 Page(s):538 - 551  
Digital Object Identifier 10.1109/49.917713  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(200 KB) IEEE JNL
- ☐ **11. The JOURNEY active network model**  
Ott, M.; Welling, G.; Mathur, S.; Reiningger, D.; Izmailov, R.;  
Selected Areas in Communications, IEEE Journal on  
Volume 19, Issue 3, March 2001 Page(s):527 - 537  
Digital Object Identifier 10.1109/49.917712  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(192 KB) IEEE JNL
- ☐ **12. An active queue management scheme based on a capture-recapture model**  
Ming-Kit Chan; Hamdi, M.;  
Selected Areas in Communications, IEEE Journal on  
Volume 21, Issue 4, May 2003 Page(s):572 - 583  
Digital Object Identifier 10.1109/JSAC.2003.810499  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(685 KB) IEEE JNL
- ☐ **13. On designing self-tuning controllers for AQM routers supporting TCP flow  
pole placement**  
Qiang Chen; Yang, O.W.W.;  
Selected Areas in Communications, IEEE Journal on  
Volume 22, Issue 10, Dec. 2004 Page(s):1965 - 1974  
Digital Object Identifier 10.1109/JSAC.2004.836005  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(416 KB) IEEE JNL

**14. TCP-Jersey for wireless IP communications**


- ☐ Kai Xu; Ye Tian; Ansari, N.;  
Selected Areas in Communications, IEEE Journal on  
Volume 22, Issue 4, May 2004 Page(s):747 - 756  
Digital Object Identifier 10.1109/JSAC.2004.825989  
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE JNL
  
- ☐ **15. Bandwidth guaranteed restorable multicast virtual private networks**  
Hota, C.; Raghurama, G.; Jha, S.K.; Lau, W.;  
Personal Wireless Communications, 2005. ICPWC 2005. 2005 IEEE Internatic  
on  
23-25 Jan. 2005 Page(s):9 - 13  
Digital Object Identifier 10.1109/ICPWC.2005.1431291  
[AbstractPlus](#) | Full Text: [PDF](#)(2050 KB) IEEE CNF
  
- ☐ **16. A predictive PID controller for AQM router supporting TCP with ECN**  
Ruijun Zhu; Haitao Teng; Jingdan Fu;  
Communications, 2004 and the 5th International Symposium on Multi-Dimensi  
Communications Proceedings. The 2004 Joint Conference of the 10th Asia-Pa  
on  
Volume 1, 29 Aug.-1 Sept. 2004 Page(s):356 - 360 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE CNF
  
- ☐ **17. Congestion control policies for IP-based CDMA radio access networks**  
Kasera, S.K.; Ramachandran Ramjee; Thuel, S.; Wang, X.;  
INFOCOM 2003. Twenty-Second Annual Joint Conference of the IEEE Compt  
Communications Societies. IEEE  
Volume 1, 30 March-3 April 2003 Page(s):712 - 722 vol.1  
Digital Object Identifier 10.1109/INFCOM.2003.1208721  
[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) IEEE CNF
  
- ☐ **18. Content routing with network support using passive measurement in cor  
networks**  
Miura, H.; Yamamoto, M.;  
Computer Communications and Networks, 2002. Proceedings. Eleventh Intern  
Conference on  
14-16 Oct. 2002 Page(s):96 - 101  
Digital Object Identifier 10.1109/ICCCN.2002.1043052  
[AbstractPlus](#) | Full Text: [PDF](#)(284 KB) IEEE CNF
  
- ☐ **19. CGASC-a sillcon compiler for the CMOS gate array**  
Hu, J.;  
Computers and Communications, 1990. Conference Proceedings., Ninth Annu  
Phoenix Conference on  
21-23 March 1990 Page(s):876  
Digital Object Identifier 10.1109/PCCC.1990.101720  
[AbstractPlus](#) | Full Text: [PDF](#)(48 KB) IEEE CNF
  
- ☐ **20. Promoting the use of end-to-end congestion control in the Internet**  
Floyd, S.; Fall, K.;  
Networking, IEEE/ACM Transactions on  
Volume 7, Issue 4, Aug. 1999 Page(s):458 - 472  
Digital Object Identifier 10.1109/90.793002  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(176 KB) IEEE JNL
  
- ☐ **21. Active Ingress monitoring (AIM): an intrusion isolation scheme in active i**  
Kim, G.; Bogovic, T.;  
Communications, 2001. ICC 2001. IEEE International Conference on  
Volume 1, 11-14 June 2001 Page(s):194 - 198 vol.1  
Digital Object Identifier 10.1109/ICC.2001.936302


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "( router&lt;in&gt;metadata ) &lt;and&gt; ( active&lt;in&gt;metadata ) &lt;and&gt; ( candidate&lt;in&gt;..."



Your search matched 2 of 1229994 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

( router&lt;in&gt;metadata ) &lt;and&gt; ( active&lt;in&gt;metadata ) &lt;and&gt; ( candidate&lt;in&gt;metadata )

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

## Select Article Information

- ☐ 1. **SRED: stabilized RED**  
Ott, T.J.; Lakshman, T.V.; Wong, L.H.;  
INFOCOM '99. Eighteenth Annual Joint Conference of the IEEE Computer and Societies. Proceedings. IEEE  
Volume 3, 21-25 March 1999 Page(s):1346 - 1355 vol.3  
Digital Object Identifier 10.1109/INFCOM.1999.752153  
[AbstractPlus](#) | Full Text: [PDF](#)(776 KB) IEEE CNF
- ☐ 2. **Active networks for efficient distributed network management**  
Raz, D.; Shavitt, Y.;  
Communications Magazine, IEEE  
Volume 38, Issue 3, March 2000 Page(s):138 - 143  
Digital Object Identifier 10.1109/35.825651  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(296 KB) IEEE JNL

[View Selected Items](#)
 Indexed by  
[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE –



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5473599").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 14:10
L2	233	"5473599"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 14:10
L3	7	"5473599" and (list near4 active)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 14:11
L4	0	"5473599" and (select\$3 near4 list near4 active)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 14:11
L5	18	"5473599" and (list near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 14:11
L6	2	"5473599" and (list near4 router) and candidate	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 14:12
S1	58	(multiple with arp) or marp	US-PGPUB; USPAT	OR	ON	2002/12/19 14:47
S2	0	(multiple with (arp or (address adj resolution adj protocol))) and marp	US-PGPUB; USPAT	OR	ON	2002/12/19 14:49
S3	6	marp	US-PGPUB; USPAT	OR	ON	2002/12/19 14:49
S4	55	(multiple with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2002/12/19 14:59
S5	0	(multiple with (arp near5 layer))	US-PGPUB; USPAT	OR	ON	2002/12/19 14:59
S6	24	arp adj3 layer	US-PGPUB; USPAT	OR	ON	2002/12/19 15:10
S7	7	(multiple with arp) and (active with router)	US-PGPUB; USPAT	OR	ON	2002/12/19 15:16
S8	4	(arp with (active with router))	US-PGPUB; USPAT	OR	ON	2002/12/19 15:21
S9	0	(multiple adj3 protocol) and (select\$3 with (active near3 router))	US-PGPUB; USPAT	OR	ON	2002/12/19 15:23
S10	13	(select\$3 with (active near3 router))	US-PGPUB; USPAT	OR	ON	2002/12/19 15:23
S11	3	(select\$3 with (active near3 router)) and arp	US-PGPUB; USPAT	OR	ON	2002/12/19 15:30
S12	16	(arp with (multiple near5 (protocol or address)))	US-PGPUB; USPAT	OR	ON	2002/12/19 15:34

S13	3	(arp with (multiple near5 (protocol or address))) and (active adj3 router)	US-PGPUB; USPAT	OR	ON	2002/12/20 10:26
S14	1	(arp with (multiple near5 (protocol or address))) and (select with router)	US-PGPUB; USPAT	OR	ON	2002/12/20 10:28
S15	920	resolution adj2 protocol	US-PGPUB; USPAT	OR	ON	2002/12/20 10:28
S16	65	(resolution adj2 protocol) and (select with router)	US-PGPUB; USPAT	OR	ON	2002/12/20 14:47
S17	1	"5490252".PN.	USPAT	OR	OFF	2002/12/20 10:52
S18	1	"5434863".PN.	USPAT	OR	OFF	2002/12/20 10:52
S19	1	"5289462".PN.	USPAT	OR	OFF	2002/12/20 10:55
S20	1	"4790005".PN.	USPAT	OR	OFF	2002/12/20 10:55
S21	1	"6061739".PN.	USPAT	OR	OFF	2002/12/20 10:55
S22	1	"6023724".PN.	USPAT	OR	OFF	2002/12/20 10:56
S23	1	"5987524".PN.	USPAT	OR	OFF	2002/12/20 10:56
S24	1	"5987524".PN.	USPAT	OR	OFF	2002/12/20 10:57
S25	1	"5978854".PN.	USPAT	OR	OFF	2002/12/20 10:57
S26	1	"5963540".PN.	USPAT	OR	OFF	2002/12/20 10:57
S27	1	"5835696".PN.	USPAT	OR	OFF	2002/12/20 10:58
S28	1	"5802285".PN.	USPAT	OR	OFF	2002/12/20 11:00
S29	1	"5781534".PN.	USPAT	OR	OFF	2002/12/20 11:00
S30	1	"5737526".PN.	USPAT	OR	OFF	2002/12/20 11:01
S31	1	"5229988".PN.	USPAT	OR	OFF	2002/12/20 11:01
S32	1	"5309437".PN.	USPAT	OR	OFF	2002/12/20 11:01
S33	1	"5365523".PN.	USPAT	OR	OFF	2002/12/20 11:02
S34	1	"5398012".PN.	USPAT	OR	OFF	2002/12/20 11:02
S35	1	"5420862".PN.	USPAT	OR	OFF	2002/12/20 11:02
S36	1	"5473599".PN.	USPAT	OR	OFF	2002/12/20 11:02
S37	1	"5526489".PN.	USPAT	OR	OFF	2002/12/20 11:03
S38	1	"5708654".PN.	USPAT	OR	OFF	2002/12/20 11:04
S39	1	("6295276").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/20 14:48
S40	21	(combin\$3 with router) and controll\$3 and arp	US-PGPUB; USPAT	OR	ON	2002/12/20 15:04
S41	1	"5774660".PN.	USPAT	OR	OFF	2002/12/20 14:52
S42	1	"6061739".PN.	USPAT	OR	OFF	2002/12/20 14:52
S43	1	"5473599".PN.	USPAT	OR	OFF	2002/12/20 14:52
S44	1	"5963540".PN.	USPAT	OR	OFF	2002/12/20 14:56

S45	6	marp	US-PGPUB; USPAT	OR	ON	2002/12/20 15:05
S46	444	(load\$3 same balanc\$3) and ((multiple or plurality) with router)	US-PGPUB; USPAT	OR	ON	2002/12/20 15:06
S47	37	(load\$3 same balanc\$3) and ((multiple or plurality) with router) and select\$3 and arp and layer\$3	US-PGPUB; USPAT	OR	ON	2002/12/20 15:11
S48	543	(select\$3) and (combin\$3 with router)	US-PGPUB; USPAT	OR	ON	2002/12/20 15:11
S49	3	(select\$3) and (combin\$3 with router) and (arp adj3 layer\$3)	US-PGPUB; USPAT	OR	ON	2002/12/20 15:12
S50	26	(select\$3) and (combin\$3 with router) and (arp) and layer\$3	US-PGPUB; USPAT	OR	ON	2002/12/20 15:17
S51	6	((ip or network) adj3 layer) and (arp with (select\$3 with router))	US-PGPUB; USPAT	OR	ON	2002/12/20 15:24
S52	1	"6249820".PN.	USPAT	OR	OFF	2002/12/20 15:22
S53	1	"6195705".PN.	USPAT	OR	OFF	2002/12/20 15:23
S54	1	"6189042".PN.	USPAT	OR	OFF	2002/12/20 15:23
S55	1	"6101616".PN.	USPAT	OR	OFF	2002/12/20 15:23
S56	23	vrrp	US-PGPUB; USPAT	OR	ON	2002/12/20 15:30
S57	4671	(router same (multi\$protocol or address))	US-PGPUB; USPAT	OR	ON	2002/12/20 15:31
S58	149	virtual adj2 router	US-PGPUB; USPAT	OR	ON	2002/12/20 15:54
S59	2110	(select\$3 with (router))	US-PGPUB; USPAT	OR	ON	2002/12/20 15:55
S60	94	(select\$3 with (set near3 router))	US-PGPUB; USPAT	OR	ON	2002/12/20 15:56
S61	0	(select\$3 with (set near3 router)) and (arp adj2 table)	US-PGPUB; USPAT	OR	ON	2002/12/20 15:56
S62	3	(select\$3 with (set near3 router)) and (arp same table)	US-PGPUB; USPAT	OR	ON	2002/12/20 16:07
S63	1	"6249820".PN.	USPAT	OR	OFF	2002/12/20 15:57
S64	1	"6195705".PN.	USPAT	OR	OFF	2002/12/20 15:57
S65	1	"6189042".PN.	USPAT	OR	OFF	2002/12/20 15:57
S66	1	"6101616".PN.	USPAT	OR	OFF	2002/12/20 15:57
S67	1	"6101616".PN.	USPAT	OR	OFF	2002/12/20 15:58
S68	1	"6006090".PN.	USPAT	OR	OFF	2002/12/20 15:58
S69	1	"5949788".PN.	USPAT	OR	OFF	2002/12/20 15:59
S70	1	"5949788".PN.	USPAT	OR	OFF	2002/12/20 15:59
S71	1	"5917820".PN.	USPAT	OR	OFF	2002/12/20 15:59
S72	1	"5473599".PN.	USPAT	OR	OFF	2002/12/20 16:00

S73	1	"4760572".PN.	USPAT	OR	OFF	2002/12/20 16:04
S74	4	(select\$4 with (set near3 router)) and (arp) and (hop)	US-PGPUB; USPAT	OR	ON	2002/12/20 16:09
S75	94	(select\$4 with (set near3 router))	US-PGPUB; USPAT	OR	ON	2002/12/20 16:21
S76	156	(set near4 router) and (load near5 (sharing or balanc\$3))	US-PGPUB; USPAT	OR	ON	2002/12/20 16:22
S77	31	(set near4 router) and (load near5 (sharing or balanc\$3)) and arp	US-PGPUB; USPAT	OR	ON	2002/12/20 16:24
S78	106	(set near4 router) and (load near5 (sharing or balanc\$3)) and layer\$3	US-PGPUB; USPAT	OR	ON	2002/12/23 11:07
S79	77	load\$balanc\$3 same router	US-PGPUB; USPAT	OR	ON	2002/12/23 11:29
S80	15	(resolution with (router same select\$3))	US-PGPUB; USPAT	OR	ON	2002/12/23 11:41
S81	31	(resolution with ((ip or router) same select\$3))	US-PGPUB; USPAT	OR	ON	2002/12/23 14:49
S82	1	"5581552".PN.	USPAT	OR	OFF	2002/12/23 11:46
S83	691	((elan) or (emulat\$3 adj lan))	US-PGPUB; USPAT	OR	ON	2002/12/23 14:51
S84	5	((elan) or (emulat\$3 adj lan)) and (select\$3 with router)	US-PGPUB; USPAT	OR	ON	2002/12/23 14:59
S85	16	((elan) or (emulat\$3 adj lan)) and (set with router)	US-PGPUB; USPAT	OR	ON	2002/12/23 15:08
S86	691	((elan) or (emulat\$3 adj lan))	US-PGPUB; USPAT	OR	ON	2002/12/23 15:08
S87	108	((elan) or (emulat\$3 adj lan)) and router	US-PGPUB; USPAT	OR	ON	2002/12/23 15:08
S88	82	((elan) or (emulat\$3 adj lan)) and router and layer\$3	US-PGPUB; USPAT	OR	ON	2002/12/23 16:06
S89	2344	(between with ((ip or network) near3 layer))	US-PGPUB; USPAT	OR	ON	2002/12/23 16:07
S90	148	(between with ((ip or network) near3 layer)) and (select\$3 with router)	US-PGPUB; USPAT	OR	ON	2002/12/23 16:08
S91	2	(("6175869") or ("6012090")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/11 13:31
S92	1	"6078960".PN.	USPAT	OR	OFF	2003/09/11 11:29
S93	1	"6070191".PN.	USPAT	OR	OFF	2003/09/11 11:30
S94	1	"6070190".PN.	USPAT	OR	OFF	2003/09/11 11:31
S95	1	"6067545".PN.	USPAT	OR	OFF	2003/09/11 11:32
S96	1	"6056046".PN.	USPAT	OR	OFF	2003/09/11 11:32
S97	1	"6014307".PN.	USPAT	OR	OFF	2003/09/11 11:32

S98	1	"5991808".PN.	USPAT	OR	OFF	2003/09/11 11:33
S99	1	"5987493".PN.	USPAT	OR	OFF	2003/09/11 11:33
S10 0	1	"5893077".PN.	USPAT	OR	OFF	2003/09/11 11:34
S10 1	1	"5852717".PN.	USPAT	OR	OFF	2003/09/11 11:34
S10 2	1	"5774660".PN.	USPAT	OR	OFF	2003/09/11 11:34
S10 3	1	"5459837".PN.	USPAT	OR	OFF	2003/09/11 11:37
S10 4	1	"5283897".PN.	USPAT	OR	OFF	2003/09/11 11:37
S10 5	1	"5940819".PN.	USPAT	OR	OFF	2003/09/11 13:07
S10 6	1	"5890160".PN.	USPAT	OR	OFF	2003/09/11 13:08
S10 7	1	"5867651".PN.	USPAT	OR	OFF	2003/09/11 13:08
S10 8	1	"5867651".PN.	USPAT	OR	OFF	2003/09/11 13:08
S10 9	1	"5867495".PN.	USPAT	OR	OFF	2003/09/11 13:08
S11 0	1	"5745900".PN.	USPAT	OR	OFF	2003/09/11 13:11
S11 1	1	"5737592".PN.	USPAT	OR	OFF	2003/09/11 13:12
S11 2	1	"5732219".PN.	USPAT	OR	OFF	2003/09/11 13:12
S11 3	1	"5680575".PN.	USPAT	OR	OFF	2003/09/11 13:12
S11 4	1	"5649103".PN.	USPAT	OR	OFF	2003/09/11 13:12
S11 5	1	"5621792".PN.	USPAT	OR	OFF	2003/09/11 13:13
S11 6	1	"5023774".PN.	USPAT	OR	OFF	2003/09/11 13:13
S11 7	1	"5951694".PN.	USPAT	OR	OFF	2003/09/11 13:13
S11 8	1	"5938732".PN.	USPAT	OR	OFF	2003/09/11 13:13
S11 9	1	"5828847".PN.	USPAT	OR	OFF	2003/09/11 13:14
S12 0	1	"5774660".PN.	USPAT	OR	OFF	2003/09/11 13:15

S12 1	1	"5341477".PN.	USPAT	OR	OFF	2003/09/11 13:15
S12 2	9	(client same balanc\$3).ti.	US-PGPUB; USPAT	OR	ON	2003/09/11 16:30
S12 3	1	"5926482".PN.	USPAT	OR	OFF	2003/09/11 13:45
S12 4	1	"5894554".PN.	USPAT	OR	OFF	2003/09/11 13:45
S12 5	1	"5892924".PN.	USPAT	OR	OFF	2003/09/11 13:46
S12 6	1	"5862362".PN.	USPAT	OR	OFF	2003/09/11 13:46
S12 7	1	"5862335".PN.	USPAT	OR	OFF	2003/09/11 13:47
S12 8	1	"5826032".PN.	USPAT	OR	OFF	2003/09/11 13:47
S12 9	1	"5774660".PN.	USPAT	OR	OFF	2003/09/11 13:47
S13 0	1	"5721908".PN.	USPAT	OR	OFF	2003/09/11 13:49
S13 1	1	"5715453".PN.	USPAT	OR	OFF	2003/09/11 13:49
S13 2	1	"5673322".PN.	USPAT	OR	OFF	2003/09/11 13:49
S13 3	1	"5612897".PN.	USPAT	OR	OFF	2003/09/11 13:49
S13 4	1	"5603029".PN.	USPAT	OR	OFF	2003/09/11 13:50
S13 5	1	"5539883".PN.	USPAT	OR	OFF	2003/09/11 13:50
S13 6	0	(arp adj2 layer).ti.	US-PGPUB; USPAT	OR	ON	2003/09/11 16:30
S13 7	2	(arp adj2 protocol).ti.	US-PGPUB; USPAT	OR	ON	2003/09/11 16:32
S13 8	2120	(map\$4 with ((ip or network) near4 address))	US-PGPUB; USPAT	OR	ON	2003/09/11 16:33
S13 9	397	((map\$4 with ((ip or network) near4 address))) and (arp or (resolution adj2 protocol))	US-PGPUB; USPAT	OR	ON	2003/09/11 16:34
S14 0	71	((map\$4 with ((ip or network) near4 address))) and (arp or (resolution adj2 protocol))) and (set near4 router)	US-PGPUB; USPAT	OR	ON	2003/09/11 16:34

S14 1	23	(((((map\$4 with ((ip or network near4 address)))) and (arp or (resolution adj2 protocol)))) and (set near4 router)) and table and convert\$3	US-PGPUB; USPAT	OR	ON	2003/09/11 16:35
S14 2	3	((("6182139") or ("6185601") or ("6016319"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 14:44
S14 3	2	((("6754220") or ("6779017"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 15:04
S14 4	3	((("6101361") or ("5854901") or ("5600644"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 14:47
S14 5	3	((("6701361") or ("5854901") or ("5600644"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 14:47
S14 6	1	"6556547".PN.	USPAT; USOCR	OR	ON	2004/12/09 14:57
S14 7	1	"6510164".PN.	USPAT; USOCR	OR	ON	2004/12/09 14:58
S14 8	1	"6397260".PN.	USPAT; USOCR	OR	ON	2004/12/09 14:58
S14 9	1	"6335926".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:00
S15 0	1	"6266335".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:01
S15 1	1	"6243379".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:01
S15 2	1	"6243379".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:01
S15 3	1	"6178455".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:01
S15 4	1	"6119143".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:03
S15 5	1	"6081845".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:03
S15 6	1	"5923854".PN.	USPAT; USOCR	OR	ON	2004/12/09 15:04
S15 7	392	(active near3 router)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:04
S15 8	3	S157 and (list\$3 near3 candidate)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:06

S15 9	1	("5774660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 15:11
S16 0	3	((("6487605") or ("6195705") or ("5473599"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 15:47
S16 1	15	(candidate near4 router) and (active near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:52
S16 2	79	(list near4 router) and (active near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:52
S16 3	11	(list near4 router) and (active near4 router) and candidate	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:54
S16 4	31	(list near4 router) and (active near4 router) and potential	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 10:38
S16 5	2	((("6006323") or ("5890181"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/11 10:38
S16 6	16	(candidate near4 router) and (active near4 router)	US-PGPUB; USPAT	OR	ON	2005/06/13 18:35
S16 7	1	(active near4 candidate near4 router)	US-PGPUB; USPAT	OR	ON	2005/06/13 18:36
S16 8	239	((set or group) near4 router) and active and candidate	US-PGPUB; USPAT	OR	ON	2005/06/13 18:37
S16 9	54	((set or group) near4 router) and active and candidate and (list near4 router)	US-PGPUB; USPAT	OR	ON	2005/06/13 18:37
S17 0	6	((set or group) near4 router) and active and candidate and (list near4 router) and (@ad<"19990330")	US-PGPUB; USPAT	OR	ON	2005/06/13 18:39
S17 1	49	((set or group) near4 router) and active and candidate and (@ad<"19990330")	US-PGPUB; USPAT	OR	ON	2005/06/13 18:51
S17 2	3	((("6487605") or ("6195705") or ("5473599"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 18:53
S17 3	3	((("6701361") or ("5854901") or ("5600644"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 18:56
S17 4	2	((("5774660") or ("5668952"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 18:57



S17 5	1	("6754220").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 09:42
S17 6	1	"6556547".PN.	USPAT; USOCR	OR	ON	2005/06/13 18:58
S17 7	1	"6510164".PN.	USPAT; USOCR	OR	ON	2005/06/13 18:59
S17 8	1	"6397260".PN.	USPAT; USOCR	OR	ON	2005/06/13 18:59
S17 9	1	"6335926".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:00
S18 0	1	"6266335".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:01
S18 1	1	"6243379".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:01
S18 2	1	"6178455".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:02
S18 3	1	"6119143".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:02
S18 4	1	"6081845".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:03
S18 5	1	"6049528".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:04
S18 6	1	"5923854".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:04
S18 7	1	"5835696".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:05
S18 8	1	"5649091".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:06
S18 9	1	"5621884".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:06
S19 0	1	"5610905".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:07
S19 1	1	"5742587".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:08
S19 2	1	"5708654".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:08
S19 3	1	"5572528".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:08
S19 4	1	"5371852".PN.	USPAT; USOCR	OR	ON	2005/06/13 19:09
S19 5	1	("6637027").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 09:47

S19 6	1	("20050028206").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 10:12
S19 7	2	((("6388714") or ("6637027"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 10:45
S19 8	1	("6408395").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 11:23
S19 9	1	("6324581").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 11:23
S20 0	0	("(arpnear4layer)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 19:14
S20 1	215	(arp near4 layer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 19:14
S20 2	141	(arp near4 layer) and (network near4 layer) and (ip near4 layer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 19:15
S20 3	14	(arp near4 layer) and (network near4 layer) and (ip near4 layer) and (select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 19:23
S20 4	88	(arp) and (network near4 layer) and (ip near4 layer) and (select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:21
S20 5	1	("6182139").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 19:35
S20 6	215	(arp near4 layer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 19:35
S20 7	22	(arp near4 layer) and (select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 08:42
S20 8	1	("6324581").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 10:32
S20 9	0	("layer.ti.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 10:32
S21 0	38900	layer.ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 10:32
S21 1	43	layer.ti. and arp and network and ip and router	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:07

S21 2	226	"5473599"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:07
S21 3	0	"5473599" and "5539815"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:07
S21 4	47	"5473599" and arp	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:10
S21 5	3	"5473599" and (multiple near4 arp)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:08
S21 6	45	"5473599" and arp and ip and network	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:10
S21 7	3	"5473599" and (arp near4 layer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 12:10
S21 8	14	(arp near4 layer) and (network near4 layer) and (ip near4 layer) and (select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:29
S21 9	79	(host near4 select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:29
S22 0	22	(host near4 select\$3 near4 router) and ip and arp and network	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:32
S22 1	0	(tcp near4 select\$3 near4 router) and ip and arp and network	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:32
S22 2	15	(tcp near4 select\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:37
S22 3	513	(balanc\$3 near4 router)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:37
S22 4	62	(balanc\$3 near4 router) and (ip near4 layer) and (network near4 layer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:38
S22 5	14	(balanc\$3 near4 router) and (ip near4 layer) and (network near4 layer) and arp	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 14:55
S22 6	11	(balanc\$3 near4 switch) and (ip near4 layer) and (network near4 layer) and arp	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 15:10
S22 7	31	"6049528"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 15:10

S22 8	31	"6049528"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 16:18
S22 9	1	("5473599").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 16:30
S23 0	1	("5539815").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 16:30